IN THE HIGH COURT OF KERALA AT ERNAKULAM

PRESENT :

THE HONOURABLE MR. JUSTICE C.N.RAMACHANDRAN NAIR

WEDNESDAY, THE 14TH MARCH 2007 / 23RD PHALGUNA 1928

Con.Case(C).No. 446 of 2007(S)

AGAINST THE JUDGEMENT/ORDER IN WPC.32794/2006 Dated 08/12/2006

.....

PETITIONER

NATESAN, S/O. PHALGUNAN,
HOUSE NO.III/262, NAYARAMBALAM PANCHAYATH,
NAYARAMBALAM.

BY ADV. SMT.VANAJA MADHAVAN

RESPONDENTS:

V.K.GOVINDA KUMAR,
ASST. EXECUTIVE ENGINEER, WATER AUTHORITY,
N.PARAVUR. (AGE & FATHER'S NAME NOT KNOWN
TO THE PETITIONER)

BY ADV. SRI.M.DINESH, SC

THIS CONTEMPT OF COURT CASE (CIVIL) HAVING COME UP FOR ADMISSION ON 14/03/2007, THE COURT ON THE SAME DAY DELIVERED THE FOLLOWING:

C.N.RAMACHANDRAN NAIR, J.

.....

C.O.C. No.446 of 2007

.....

Dated this the 14th day of March, 2007.

JUDGMENT

Even though this court directed connection to be given to the petitioner based on earlier application, it is reported by Standing Counsel for Water Authority that connection was given prior to judgment based on petitioner's application in the building applied for. Obviously direction in the judgment was based on the assumption that petitioner sought transfer of application for considering connection for the new building acquired by the petitioner. In view of the statement by Standing Counsel that connection applied for by the petitioner was given to the building in respect of which application was given, there is no contempt and the Contempt Case is closed. Respondents are free to file application for review of judgment.

C.N.RAMACHANDRAN NAIR
Judge

pms